
# AD NUMBER ADB955507 **NEW LIMITATION CHANGE** TO Approved for public release, distribution unlimited FROM Distribution limited to DoD only; Critical Technology; 26 Mar 84. Other requests must be referred to Naval Research Lab., Attn: Code 1221. Washington, DC 20375. AUTHORITY

Naval Research Laboratory, Technical Library, Research Reports Section Notice, dtd October 10, 2000.



AT1 6446

CONFIDENTIAL



COPY NO 1

7152

# NAVAL RESEARCH LABORATORY REPORT

UPPER ATMOSPHERE RESEARCH REPORT NO. 2

PART 2
IONIZATION EXPERIMENTS:
IN THE V-2

NRL REPORT NO. R3031

CLASSIFICATION CHANGED	TO LINCLASSIEIE
BY AUTHORITY OF DOD.	DIR 5200.10
OM 5/22/61	Reference Authority
OH	

(DATE

SIGNATURE SE ARCHPLEABURATUR

FILE COP

70

S

M

つ

 $\mathfrak{T}$ 

AC

UNCLASSIFIE

NAVY DEPARTMENT

DOD DIR 5200.10 Douille Paylori 2028 Navy Department - Office of Naval Research

NAVAL RESEARCH LABORATORY
Washington, D. C.

Code 1221

RADIO DIVISION I

ROCKET-SONDE RESEARCH SECTION

30 December 1946

UPPER ATMOSPHERE RESEARCH REPORT NO. II -PART II-

рy

M. Becker, R. E. Bourdeau and T. R. Burnight

Report R-3031

THE ASSETTED

#### ENCLASSIFIED

Approved by:

Dr. E. H. Krause, Head Rocket-Sonde Reser ch Section Dr. J. M. Miller, Superintendent Radio Division I Commodore H. A. Schade, USN Director, Naval Research Laboratory

CONTIAL SSIFIED

			u	INCLAS	21LIED	
CLI	Assification	ON CHANGED	TU			-
DΛ	AUTHORTTY	OF DOD.	_DLK	<u>520</u>	0.10	
ы	A01110117	1.	Refe	epner	Authority	_

ON 5/22/61

(DATE)

Signature of Custodian

# UNCLASSIEIE

### DISTRIBUTION

<u> </u>	of Copies	
٠	(16)	ONR-Planning Division; Program Subdivision; Armement and GM Section; Scientific Subdivision(4/copies); Geophysics Section; Electronics Section; Physics Section; Publication Liaison; Scientific Sub-
	(1) (17)	division; Tech. Information Section(4 copies).  ONR_SDC, Sands Point, Port Washington.  CNO_OP_O5; OP_O6; OP_O3; OP_503; OP_601; OP_413; OP_413C;  OP_04/06; OP_100F; OP_57(5 copies); CinCLantFlt;
	(13)	CinCPacFit, Rer-El; Aer-El-35; Aer-SI-50DAS(2
8	(0)	copies); Aer-PA; Aer-TD-4(6 copies).
	(11)	BuOrd-Adlf; Pie; Re; Rea; Re-9(4 copies). BuShips-Code 330; Code 900; Code 910; Code 918-L.0.
	(11)	Watson Labs; Code 920; Code 938(2 copies); Code 343(4 copies).
	(2)	PG School-Annapolis
	<b>(1)</b>	Naval Observatory
	(1)	NGF Washington
	(2) (1) (1) (6)	MarCorps-Military Sec. G-3(3 copies); G-3, Spec. Weapons (2 copies); Secretary Special Board, MarCorps Schools, Quantico.
	(2)	OinC BOEU_NBS, Att: Dr. H. C. Dryden
	(1)	NEI-San Diego
	(2)	NOF.TLO_MIT
	$(\tilde{2})$	NO!L-Washington
	(i)	NOIS-Inyokern SHIELASWO
	<b>(1)</b>	NCT'J=#SFG
	(1)	NPG-Dahlgren
	(4)	NavOrdDev. UAPL
	(3)	WANTO-LE MIGG
	(1) (2) (2) (1) (1) (1) (4) (3) (4) (1) (1)	NRL Field Group-WSPG
	(1)	SNIO-USNEIO-Ft. Monmouth
	<u>\1</u> \	BAGR-ED, 90 Church St., N.Y.
	\ <del>1</del> \.	BAGR-WD, 624 Van Nuys Bldg., Los Angeles
		BAGR-Wright Field, Att: Lt. Col. J. A. Gerath
	\ <del>\</del>	NATC-Paturent River, Md.
	<b>}</b>	NAES-Philadelphia NAOTS-Chincoteague, Va.
	(2)	ComOpDovFor-FPO, N.Y.
	(5)	NAMC-Philadelphia
	$(\frac{1}{2})$	NAMU-Johnsville
	(1) (1) (1) (2) (1) (2) (1)	DTMB-Washington, Attn: Aere Mechanics Div.
	- <del>-</del>	

CONFIDENCE

## Unclassified

## DISTRIBUTION(Cont'd)

Letter of

### No. of Copies

(1)	BuOrd-Experimental Unit, NBS
(1) (1) (1) (1) (22) (1) (2) (1) (2) (4)	ASO-Philadelphia
(1)	USNA-Head, Ord. & Gun, Annapolis
(1)	NAF-Philadelphia
(1)	Sec. of War-Washington
(9)	CG-AAF, Attn: AC/AS-4; DRE-3
(22)	CG-AKC Wright Field, Attn: TSEON-2
(1)	Air Univ., Maxwell Field, Ala., Attn: Air Univ. Library
(1)	AMC-Watson Labs, CFS, Cambridge, Attn: Mr. H. Stockman
(2)	AMC-Watson Labs, Electronics Subdivision TSESA-7, Wright Field
(1)	AMC-Watson Labs, WLERR, Estontown, N.J.
(4)	AMC-Watson Labs, WLERR, Eatontown, N.J. Ch/ORD-Rocket Dev. Div. (2 copies); Sub Office (Rockets)
	GIT; Sub Office (Rockets) Ft. Bliss.
(1)	1st AAAGMBnWSPG
(1)	CG-Manhattan Engr. District
	Com. and Staff Col., Ft. Leavenworth, Kansas
(1)	ABL-Aberdeen-C.G. Aberdeen-Ballistic Research Lab.
(5)	OCSigO-Eng. & Tech Ser; Eng. Div(2 copies); SPSOI-4.
(i)	ESL-Selmar, N.J.
(2)	SCEL-Bradley Beach, N.J.
(1)	NLO_SCEL_Ft. Monmouth, N.J.
(1) (1) (5) (1) (2) (1) (1) (1) (1) (1) (1)	Chief of Chemical Corps-Washington
(1)	Chief GM Br., Tech. Command-Edgewood Arsenal, Md.
(1)	PGC-Eglin Field, Fla.
(1)	Antiaircraft Artillery School-Ft. Bliss, Tex.
$(\overline{1})$	Frankford Arsenal-Philadelphia.
(1)	Wendover Field, Wendover, Utah
(6)	AGF-Ft. Monroe, Va; Seacoast Service Test Sec., Board No. 1,
	Ft. Baker, Cal.; Board No. 1, Ft. Bragg(2 copies); Board No. 4,
	Ft. Bliss(2 copies).
(2)	US Mil.AWest Pt., N.Y., Attn: Prof. of Ord.
(2) (1) (1) (1)	Director of Research and Dev., War Dept. Gen. Staff-Washington
(1)	Ch/Ord, Research & Dev. Ser., Ammunition Dev. Div.
(1)	Air Tactical School, Air UnTyndall Field, Fla.
(2)	JRDB; JRDB-GM Committee
(i)	Ord. Advisory Com. on GM-Gen. Radio Co., Attn: Dr. H. B. Richmond
(2)	Armed Forces Staff College-Norfelk, Va.
(2) (1) (2) (4) (3)	NACA-Washington, Attn: Mr. C. H. Helms
(3)	OinC, R & DS Subeffice(Rocket) Cal Tech for Jet
	Propulsion Lab.
(1)	SDC. ONR. Sands Point. Attn: Tachnical Information Desk

# UNCLASSIFIED DISTRIBUTION(Cont'd)

### Me. of Cepies

A THE PERSON NAMED IN COLUMN 1	
(2)	Dom Combined Officer Comers Acres Tob Bake Dis C.C. Brissian
(2)	Dev. Contract Officer, Cornell Aero. Lab-Att: Dr. C.C. Furnas Dev. Contract Officer-APL, Johns Hopkins
(3)	Chairman, MIT, GMC Project Meteor Office, MIT, Cambridge, Mass.,
(4)	Attn: Dr. H. G. Stever
(2)	U. of Mich-Att: Dr. Dow; Mr. Robert T. May; Mr. M. B. Small
(3)	Penn State U-Att: Haller, Raymond and Brown
(3) (2) (5)	Princeton U-Att: Project SQUID(3 copies); Dr. J. A. Wheeler;
•	Dr. H. D. Smyth.
(1) (2)	U. of Texas-Att: Dr. C. P. Boner, Via Dev. Contract Officer
(2)	BAR, Pasadena, Cal. for Aerojet, Att: Dr. F. Zwicky;
	W. E. Zisch
(2)	BAR, Cornell Aeronautical Lab, Buffalo for Bell Aircraft,
	Niagara Falls. Att: Mr. R. H. Stanley, Mr. B. Hamlin.
(3)	BAR, Buffalo, Bell Aircraft, Niagara Falls, Att: Mr. B. Hamlin
· · · · · · · · · · · · · · · · · · ·	Mr. R. H. Stanley
(2)	Bell Telephone Labs. Attn: Dr. W. A. MacNair
(3)	Bendix Avia. Corp. Teterboro, Att: Dr. Harner Selvidge
(1)	Boeing Aircraft-Att: Mr. R. H. Nelson
\2{	Dev Contract Officer-Consolidated Vultee, Daingerfield, Texas
(3) (1) (2) (2) (3)	BAR-Consolidated Vultee, San Diego, Att: C. J. Breitweiser
(3)	BAR-Consolidated Vultee, Downey, Cal., Att: C. R. Irvine, Mr. W. W. Robinson
(2)	BAR-Curtiss Wright Corp., Att: Mr. Bruce Easton
	Curtiss-Wright Corp., Att: Mr. R. Darby
(2)	BAR-Douglas Aircraft-Att: Mr. E. H. Heinemann,
(2)	Douglas Aircraft-Att: Mr. R. E. Raymond; Mr. E. F. Burton
$(\tilde{2})$	NIO-Eastman Kodak, Att: Dr. Herbert Trotter
(2)	BAR-Fairchild Engine & Aircraft Corp., Att: Mr. J. A. Sloan
(1) (2) (2) (2) (2) (2)	NAMU, Johnsville, Pa. for Franklin Inst. Labs-Att: Mr. R. H.
<u>`</u>	McClarren
(4)	Dev. Contract Officer for Gen. Elec. Co., Schenectady-
	Att: Mr. J. W. Frick; Mr. G. K. Megerian(2 copies)
(3)	General Elec. Co., Schenectady, Att: Dr. R. W. Porter;
\	√ Mr. S. A. Schuler, Jr.: Mr. Phillip Class.
(2)	BAR-Glenn L. Mertin Co., Att: Mr. W. K. Ebel.
\ <u>1</u> {	Glenn L. Martin Co., Att: Mr. W. B. Bergen
\ <u>1</u> \	"INM-Globe Corp., Attn: Mr. J. A. Weagle
(2) (1) (1) (2) (1) (2)	BAR-Goodyear Aircraft Corp., Att: Dr. Carl Arnstein
\ <del>\</del> \	Goodyear Aircraft Corp., Att: Mr. A. J. Peberson
(2)	BAR-Grumman Aircraft, Bethpage, L.I., N.Y., Att: Mr. Wm. T. Schwendler.
	-cumeratel*

CONFI

## DISTRIBUTION(Cont'd)

### No. of Copies

(4)	BAR-El Segundo, Cal. for Hughes Aircraft Corp., Att:
(2)	BAR-Kedaen Flactures Tracket Mr. Cont. D.C.
751	BAR-Kaiser Fleetwings, Inc., Att: Mr. Carl DeGanahl
(2)	INM_Kellex Corp.
(2)	INM_M. W. Kellogg
(1)	M. W. Kellogg Co., Att: Dr. G. H. Messerly
(2)	BAR-Lockheed Aircraft Corp.
(2)	BAR-McDonnel Aircraft Corp., Att: W. P. Montgomery
(2)	BAR-North Amer. Avia., Att: Dr. Wm. Bolley
(1)	Northrop Aircraft, Inc.
$(\overline{1})$	Radio Corp. of America, Att: Mr. T. T. Eaton
(7)	Radioplane Corporation
(3)	INM-Raytheon-Att: Mr. R. C. Saunders
755	BARR-Reaction Motors
(1) (1) (2) (2) (1) (1) (2) (2)	
<b>}</b> ±<	Republic Avia. Corp., Att: Dr. Wm. O'Donnell
} <u>+</u> {	Ryan Aero. Co., Att: Mr. B. T. Salmon
\2{ 	INM, Baltimore for S. W. Marshall Co.; Washington, D.C.
(2)	INM_Sperry Gyroscope Co., Great Neck, L.I., N.Y.
(2)	BAKing, Downey, Cal. for Willys-Overland Motors. Inc
	Att: Mr. Joe Talley
(2)	BAR-Wright Aero. Corp., Woodridge, N.J.
(2)	BAR-United Aircraft Corp., Chance Vought Aircraft Div.,
•	Att: P. S. Baker
(2)	BAR-United Aircraft Corp., Pratt & Whitney Aircraft Div.,
127	Att: Mr. John G. Lee
	wood mile country and man
(4)	CNO-OP-32 for distribution to
147	PAN(A and an)
	BAM(2 copies)
	BCSO(2 copies)

COMPLET SISTED

1. (1.4.4)

#### LIST OF FIGURES

- 1. Circuit diagram of transmitter, klystron monitor, receiver and power supply.
- 2. Ionization electronic equipment.
- 3. Warhead installation showing electronic equipment and waveguide.
- 4. A section of the telemetering record. The features of interest have been labelled, and a scale indicating time in seconds before takeoff has been added.
- 5. Attenuation of 10,000 mc. radiation in the exhaust of the V-2 as a function of time.



### TABLE OF CONTENTS

	•	Page
ABSTRACT	• • • • • • • • • • • • • • • • • • • •	i
IONIZATION E	EXPERIMENTS IN THE V-2 - M. Becker, R. E. Bourdeau	
and T. R.	Burnight	. 1
1.	Introduction	1
2.	Instrumentation	1
3.	Experimental Results	2
4.	Conclusions	2
5.	Future Research	3



ø.

1.102×1940

AND OF WASSERS OF SECOND BLOCK SECOND SECON

#### ABSTRACT

This report continues the description of studies of the attenuation experienced by 10,000 mc. radiation in the V-2 exhaust. Particular emphasis falls upon the measurements made in connection with the October 10 firing, and the improvements incorporated into the installations for that flight are given in detail. The experimental data are discussed and the value of 14 db/meter is found to be in general agreement with the results obtained in the first cycle of V-2 firings.

CONFIDENTIAL

h,

Will Strang

"Chadh

PART II

#### IONIZATION EXPERIMENTS IN THE V-2

рх

M. Becker, R. E. Bourdeau, and T. R. Burnight

- 1. <u>Introduction</u>. The studies of the attenuation of 10,000 megacycle radiation by the exhaust of a V-2 rocket during flight are continuing. The experimental installations employed in the first cycle of V-2 firings, and the results obtained, were given in detail in Upper Atmosphere Research Report No. I, Part II\*. These findings were extended in some particulars by measurements made during the first of the flights which comprised the second cycle of V-2 firings. The equipment used differed in several respects from that employed in the first series of experiments. The important additions and changes incorporated into the October 10 flight are described in the following paragraphs.
- 2. <u>Instrumentation</u>. Experience obtained in previous flights showed that the primary difficulty was excessive sensitivity of the equipment, particularly the klystron, to changes in the level of the supply voltage. It was then the practice to operate the klystron in a single mode by applying a fixed d.c. bias, of the order of 300 volts, to the klystron repeller. An a.c. modulation of approximately 15 volts, peak to peak, amplitude was superposed upon this level. The bias was applied by means of dry batteries and potentiometers, but the arrangement could not be depended upon to supply exactly the same amount of bias at all times. It was not unusual for the bias voltage to change sufficiently, during the period of operation directly connected with a firing, to cause a drop of 40% in the power output of the klystron. A 15 wolt (5%) change in repeller voltage would completely detune the oscillator. In the October 10 flight, the fixed bias was eliminated and an a.c. modulation of 200 volts, peak to peak, amplitude was applied to the repeller. causing the klystron to pass through three to five modes of oscillation per cycle. With this design a 15 wolt decrease in the modulation woltage caused a drop of only 25% in output power. This arrangement was clearly less sensitive to repeller voltage fluctuations than was the previous one. A further increase in reliability was obtained by replacing the dry batteries with a 24 volt dynamotor.

<sup>\*</sup>Naval Research Laboratory Confidential Report No. R-2956(1 October 1946).



ATTHE

The gain of the system was increased materially, making it possible to place an attenuator pad between the klystron and the wave guide system. This latter change was important, since it served to isolate the klystron and its monitor from the external system in general, and specifically from variations in effective output impedance caused by changes in the amount of radio energy reflected by the flame.

The electronic equipment, comprising the klystron, monitor, receiver, and voltage regulator tubes, was mounted on a single chassis. The circuit diagram is given in Fig. 1, and photographs of the chassis and the warhead mounting appear in Figs. 2 and 3. The dynamotor was shock mounted and located separately from the electronics.

A test unit was developed which greatly facilitated the maintenance of the equipment. It enabled one to check telemetering outputs, regulated voltages, and filament and dynamotor voltages.

3. Experimental Results. The telemetering record indicated that the equipment operated properly during the first twenty-five seconds of flight. The telemetered receiver voltage then decreased, over a period of 8 to 10 seconds, to the Edison effect value. It continued at this level for the remainder of the flight. The output of the klystron was monitored and had a constant value throughout the flight, indicating that the klystron operated properly and that the correct filament and plate voltage levels were maintained.

The data obtained during the first twenty-five seconds show that the signal experienced an attenuation of about 11 db, with a modulation of  $\pm 2$  db, in the jet exhaust flame of the V-2. Fig. 4 is a reproduction of a portion of the telemetering record of the October 10 firing corresponding to the period immediately before takeoff. The attenuation caused by the igniter flame may be clearly seen. An attenuation of 13  $\pm 2$  db was measured in the July 30 firing. The data gathered in the two experiments are plotted in Fig. 5. Since the flame is approximately 80 cm. in diameter at the point of measurement, the attenuations may be expressed in decibels per meter by multiplying the values there given by 5/4.

4. Conclusions. As can be seen, the same sequence of events occured at both firings. The igniter flame caused a very severe attenuation, of magnitude greater inan 30 db, as well as some bursts of modulation. The attenuation then diminished, approaching a constant level as the rocket started to rise from the ground. The values of attenuation measured on the two flights agree as to order of magnitude. Since, however, information concerning the temperature of the flame is not available in either case, they are actually not readily susceptible to direct comparison\*.

CONFIDENCE

<sup>\*</sup>Op. cit., p. 4.

It was found, by comparing the records obtained from the two firings, that the insertion of the attenuator pad eliminated most of the fluctuations in the klystron output level. This implies that the jet exhaust flame reflects a portion of the energy incident upon it. The fact that the monitored output of the klystron remained almost perfectly constant also shows that this tube was not subject to microphonic effects when operated in the V-2. It was not possible to ascertain whether the receiver was also free from these effects.

5. Future Research. The present series of measurements of the attenuation of 10,000 mc. radiation in the exhaust flame of the V-2 will continue. They are to be supplemented by experiments designed to determine the attenuation of radiation at the frequencies presently used for telemetering purposes. These include the frequencies in the range from 1020 to 1040 magacycles.




Fig. 1 Circuit Diagram of Transmitter, Klystron Monitor, Receiver and Power Supply






Fig. 2 Ionization Electronic Equipment






Fig. 3 Warhead Installation Showing Electronic Equipment and Waveguide

4

CONFIDENCE



5






Fig. f Attenuation of 10,000 mc Radiation in the Exhaust of the V-2 as a Function of Time

CONFIGNATIAL

TITLE TITE	AMPACATION DESCRIPTION OF THE CONTROL OF THE CONTRO				DUD- (	xxx		
HILE OFFICE	THE OPEN MEANING EXECUTE MAINTENANCE OF THE MEANING MAINTENANCE OF THE MEAN					(CEC)		
		Bourdson, R	l Rosensch, We	ahtaataa	n c		====	3530018
FUELUSKED DI		TITIES OF PHIAS	ni recogniscut Ar	Sering on a	, <i>s</i> . c.	•	R	
<u> </u>			<del></del>	1	·		لنجحنك	(DEX)
Dec , 46	Conto	v.s.	Lacinati Laci	ার	Ficio	, diagro, graçà		
ADSTRACT:			•	•	== -	. 1		
	Emportmon	ntal datri on a	ttenuntion of 10	,000 me	ncycle z	ndintion in online	nt ed	78 ·
	V-2 micsi	lo in flight a	re discussed on	d plottod	. Import	ant accititors and a are given. Drop	execution .	
						applying an AC a		
:	of 200 volt	ts, pank to pa	als amplitude to	the rope	ller, and	d by roplacing dry	pottorica	
•	· 120 24-ve	it dynamotor	. For first two	nty-fivo	seconds,	, equipment operat natural at Edicon o	tod pregori	7.
	ucia ucian	smiter rocor	vor vonnge æe:	remed u	I TIEST FOR	nanesa ar Marios c	ALUCE VILL	• **
			٠ .			•		i
DISTRIBUTION	Coptes of ti	its report ob	tainable from A	ir Docum	outo Div	violon; Atta: MCE	00200	
DIVISION: Gu	ded Missiloc	(1)	SUO	ECT KEA	DOKES: [	Tiestles, Cuises -	Test vediti	ಚಿರ್ಣ ,
SECTION: OF	eration (18)					acophoro, Uppor -	- Resourch	(129C3);
				₩-2	03078)			
ATI SHEET NO								<u> </u>
Alt Document		======================================	ALD TOOK			A ಮಾರ್ಯರಿ-ಮೊಬಿನ ·		1 · .
			CON	<b>IDENTIAL</b>	199			· · · <u></u>

Mosel 27/2000

## Naval Research Laboratory Technical Library Research Reports Section

DATE:

October 10, 2000

FROM:	Mary Templeman, Code 5227				
TO:	Code 7600 Dr Gursky				
CC:	Tina Smallwood, Code 1221.1				
SUBJ:	Review of NRL Reports				
Dear Sir/Ma	dam: view NRL Reports R-3030, R-3031, R-3120, R-3139, and R-3358 for:				
1. Trease re					
<b>1</b> <u>1</u> 21	Possible Distribution Statement Possible Change in Classification				
Thank you,  Mary Temple (202)767-34  maryt@libra					
The s	ubject report can be:				
N D	Changed to Distribution A (Unlimited)  Changed to Classification  Other:				
Signa	10 Oct 2000  Date				